
Ragweeds (Ambrosia artemisiifolia L. and other Ambrosia species) are plants from America that have been introduced into Europe and have partly become established.

Ragweeds are monoecious with male and female inflorescences on the same plant. They are wind pollinated and flower in late summer and autumn. In Europe, Ambrosia artemisiifolia is common in the Pannonian Basin, the Balkans, Italy and France. In other countries like Austria and Germany, the plant is still spreading and likely to become more widespread in the near future.

Measures analysis of ragweed pollens reveals that the plant is present along the 45th parallel either in North America or Europe.



Scientists concerned with the ongoing spread of ragweeds in Europe and with the large damages these cause founded this Society in 2009 in order to combine efforts to:

- ⇒ Inform about the plant and its negative impacts,
- ⇒ Enhance collaboration, research, and development of measures, promote an efficiently control against the plant.



Typical leaves in young plant of common ragweed (Ambrosia artemisiifolia L.)

The IRS regularly organises scientific conferences on all aspects of ragweed research. In 2011, the IRS has declared the first Saturday of the summer as the **International Ragweed Day.**

Activities on and around this day are organised individually in many countries in order to raise public awareness about the plant, the problems it causes and potential measures to prevent further spread and reduce existing populations.

Mainly common ragweed produces large amounts of pollen that is highly allergenic and can result in severe reactions like asthma. Due to the late flowering, ragweed makes seasonal allergic patients suffer longer in the season.

Common ragweed (A. artemisiifolia) is also a bad **agricultural weed** that reduces yield in many crops and is difficult to control.



What do we know?

Because of the large negative impacts it causes, ragweed has been **studied intensively by scientists.** Research has focused on the biology, the distribution of the plant and its pollen, on the allergy it causes, on other impacts and on methods to efficiently reduce its spread.

What you can do?

If you spot common ragweed plants in your area you can easily pull them out and throw them in the garbage bin. As some people show skin irritations after contact with the plant it is best to wear gloves. When the plants are already in flower beware not to inhale pollen.

Larger populations should be reported to the local authorities so that official control measures can be applied.

Is this ragweed or mugwort?

Common ragweed can be confused with mugwort (*Artemisia vulgaris*). Note the **white-grey** undersides of mugwort (lower row) vs. the green undersides of ragweed leaves.





On the picture below, you can see **mugwort on** the left and common ragweed on the right.



Further information

 International Ragweed Society www.internationalragweedsociety.org



 COST Action SMARTER -Sustainable management of Ambrosia artemisiifolia in Europe ragweed.eu



• Observatoire des ambroisies www.ambroisie.info



 Ambrosia www.ambrosia.ch



Infoflyer International Ragweed Day



Female and male flower head of common ragweed (Ambrosia artemisiifolia L.)







International Ragweed Day

23rd June 2018